



[Table of Contents](#)

OS Functionality	60
Application Specific	77
Modifier Keys	80
Emulation Modes	74
Alternative Keyboard Layouts	29

International (Language Specific)	58
Key Specific	98
Device Specific	35
Personal Settings	46
Miscellaneous	15

Command arrows and home end	5
Keychron K2	2
Keychron K6	7
Keychron K8	3
Keychron K14	1

KKmoon	1
Trackball Tools	1
Others	215
Examples: Conditions	4
Examples: Others	1

OS Functionality

➤ Keyboard brightness/illumination control

Maintained by @[mynameisnextstep](#)

Import

➤ SIGKILL frontmost application

Import

➤

After command+tab, use h/l to choose applications, rather than the annoying arrow keys

Author: <https://github.com/shenyfg>

Import

> Mac OSX: Essential Keybindings

Maintained by @[thecarlo](#)

Import

> Mac OSX: left cmd + double-tap q → close application

Maintained by @[thecarlo](#)

Import

> Mac OSX: disable minimising windows

Maintained by @[thecarlo](#)

Import

> Mac OSX: Use Function Keys in Supported Applications, else use Media Keys

Maintained by @[thecarlo](#)

Maintained by @[jiarui-z](#)

Import

> Launch MacOS apps, like on windows + number

Import

>

Show Desktop with F4

Import

> Search in Dictionary.app

Author: Ramiro Garcia (<https://github.com/ranemirusG>)

Import

> <Macos> Simple PrintScreen to Command+Shift+5

Import

> show desktop

Import

> Caps Lock to Chromebook Search Key

Import

> Change Command-Delete to Command-Backspace

Import

> Change mouse motion to scroll (rev 3)

Maintained by @[tekezo](#)

Import

> Launch apps

Import

> Open a new Terminal window with ⌘ + ⌘ + T

Maintained by @[SHi-ON](#)

Import

> Use right_command+h/j/k/l/;/ to switch current tab/window/application

Import

> Anti-RSI App Switch (LCMD+Space to LCMD+Tab, LOpt+Space to LCMD+` and reverse +LShift or + LControl).

Import

> Fine volume control (rev 3)

Import

> Fine Brightness Control

Import

> Prevent unintended command-q (rev 2)

Import

> Mouse keys ambidextrous

Maintained by @[k--chow](#)

Import

> Mouse keys (simple) (rev 1)

Maintained by @[tekezo](#)

Import

> Mouse keys (full) (rev 4)

Import

> Mouse Keys Mode v4 (rev 3)

Maintained by @[tekezo](#)

Import

> Mouse Keys Mode v4 (tweaked from @tekezo rev 3)

Maintained by @[ronaldsuwandi](#)

Import

➤ Mouse keys (xgwang.me)

Import

➤ Disable Cmd+F1 Toggle Screen Mirroring

Import

➤ Disable ⌘Q for selected apps

Import

➤ Rotate left modifiers

Import

➤ Add Sleep Monitor for Keyboard without Eject

Import

➤ Prevent unintended command-h hide window (rev 2)

Import

➤ Disable Ctrl Click

Import

➤ Lock Screen

Import

> Screen Saver (can Lock Screen)

Import

> Multitouch Diamond Cursor (rev 2)

Maintained by @[tekezo](#)

Import

> Multitouch Vi Mode (rev 2)

Maintained by @[tekezo](#)

Import

> Multitouch Mouse Buttons (rev 2)

Maintained by @[tekezo](#)

Import

> ThumbSense (rev 3)

Maintained by @[tekezo](#)

Import

> Emoji-key (non-apple keyboard [not fn])

Import

> Switch desktop with mouse buttons 4,5

Import

> Mac Mouse 3/4/5 desktop switcher

Import

> Mac Mouse 3 Application switcher

Import

> r_cmd_to_l_ctrl_and_space

Import

> Open a Terminal window with Ctrl-Alt-T

Import

> Keyboard Brightness Adjustment

Import

> Keyboard Brightness Adjustment

Import

> MacLee's MacOS Mouse 3/4/5 Changer (3: close tab, 4/5: move tabs)

Import

> Option+ PageUp, PageDown, Home, End to Control+Arrows (Mission Control)

Import

> cmd+shift+k delete line

Import

> Mission Control: All on F3, App on ⌘F3, Desktop on ⇧F3

Import

> Both Modifiers -> Window Switcher

Import

> Modifiers + Function Key

Import

> Control + Option + Letter -> Launch Application

Import

> Fix ghost select in context menu

Import

> Disable Option-click minimizing windows

Import

> Command + hjkl to activate windows

Maintained by @[duleorlovic](#)

Import

> Easy close apps (option+x) on macOS

Maintained by @[SergioInToronto](#)

Import

> Swap "command + tab" with "option + tab" (Compatibility for AltTab app)

Maintained by @[SergioInToronto](#)

Import

Application Specific

> Visual Studio Code: Productivity Power Pack

Maintained by @[thecarlo](#)

Import

> Google Chrome: Productivity Power Pack

Maintained by @[thecarlo](#)

Import

> Spotify

Maintained by @[thecarlo](#)

Import

> Slack: Productivity Power Pack

Maintained by @[thecarlo](#)

Import

> Adobe Premiere Pro: Productivity Power Pack

Maintained by @[thecarlo](#)

Import

> MapleStory

Maintained by @[mjgj96](#)

Import

> Cmd to Option (Steam & Jagex)

Maintained by @[zghanem0](#)

Import

> Obsidian.app, emacs like key at vim-insert mode_rev02

Import

> Sync Music and System Volume (no key repeat)

Import

> Sync iTunes and System Volume (no key repeat)

Import

> Shell helpers

Import

> Convert hangouts Mic/Video Mutes to Zoom.us

Import

> ALT <=> CMD in Autodesk Maya

Import

> Remote Desktop (separated rules)

Import

> Remote Desktop

Import

> Mac OSX Style Shortcuts for RDP sessions. Translates OSX shortcuts to PC equivalent

Maintained by @[varp](#)

Import

> Function Key Management

Maintained by @[creatorKoo](#)

Import

> MacOS to RDP – British Keyboard Layout / UK Keyboard Layout

Maintained by @[bameyrick](#)

Import

> For French Mac Keyboard under Microsoft Remote Desktop

Import

>

Tmux Prefix (rev 3)

Import

> Keyboard shortcuts for Terminal apps

Maintained by @[marlonrichert](#)

Import

> Launch new Chrome or iTerm2 windows via keybindings

Import

> Launch apps

Import

> Xcode

Import

> Visual Studio Code

Import

> Don't exit fullscreen when pressing ESC in Safari

Import

> Don't exit when pressing LCommand + q in Safari (RCommand + q still works)

Import

> Virtual Machine and Remote Desktop (Microsoft or other)

Import

> Amethyst Mode

Import

> Amethyst: Shift + Option + h/l to ctrl + arrow keys

Import

> Finder

Import

> Adobe Photoshop

Import

> Vim style escape key mapping

Import

> Vim Ctrl+6 to Ctrl+Shift+6 for buffer switching

Import

> Sketch Shortcut

Import

> Figma Shortcut

Import

> Use Option + Number to Switch Tabs in Chrome, Brave & Firefox

Import

> Map Option to soft-meta for Alacritty

Import

> Map Option to soft-meta for Warp

Import

> AquaSKK

Import

> CTRL/CMD Key Swap

Import

> JetBrains matches Windows

Import

> JetBrains matches Windows

Import

> Alt to Command Key in Stadia

Import

> Command Key to Control in World of Warcraft

Import

> CTRL <=> CMD in Trader Workstation

Import

> Roon media keys

Maintained by @[torarnek](#)

Import

> Swap Cmd+K and Cmd+P in Notion

Import

> Panic Nova: Home and End

Import

> Citrix Receiver/Workspace modifiers for Ctrl, Alt, Windows order

Import

> Citrix Receiver/Workspace modifiers for Ctrl, Windows, Alt order

Import

> Use left control key as command key in Microsoft Office

Import

> vim / zathura bindings for Preview.app

Import

> Swap left-ctrl and command except in Terminal

Import

> Swap FN and left_command except in Terminals

Import

> Mouse 4,5 -> Keynote Zoom

Maintained by @[juonic](#)

Import

> Apple Mail shortcuts

Import

> Slack shortcuts

Import

> Toggle mic mute in MS Teams with the Eject key

Import

> Execute Fish shell autocomplete

Import

> ClickUp shortcuts

Import

> Dictation to Mutify

Import

> Don't send shift when accidentally pressing right shift + enter in web browsers
(Lshift + enter still works)

Import

> Function keys work as Fn keys (instead of media keys) for JetBrains Rider

Import

> Shotr — Cmd+c to copy screenshot to clipboard

Import

> Finder improved Navigation

Import

> Toggle mic mute in MS Teams or ZOOM with the f5 key

Import

> Basic Music app keyboard control

Import

> MS Teams PTT

Import

> Right command is insert in Parallels (for JAWS, NVDA, Narrator)

Import

> Use F12 to show/hide iTerm (Quake-style "instant terminal")

Import

> Change fn + left_/right_command to 英数/かな (japanese_eisuu/kana)

Import

> TradingView shortcut (Ctrl + N)

Import

> Back/Forward for Logitech MX Vertical in VS Code & macOS

Import

> NCSPOT - control Spotify client for the terminal with media keys
via netcat

Maintained by @[n3f](#)

Import

> Improved PowerPoint Keyboard Shortcuts

Import

> Caps Lock to Debug in Various
IDEs

Author: Aung David Moe

Maintained by @[logicxd](#)

Import

Modifier Keys

> Hyper Key Power Pack

Maintained by @[thecarlo](#)

Import

> Hyper Key: Caps Lock → left control + left shift + right command (^ ↑ ⌘)

Maintained by @[thecarlo](#)

Import

> Hyper Key: Tab (held down) → left control + left command
([^] ⌘)

Maintained by @[thecarlo](#)

Import

> Hyper Key: Right Option → left shift + left option + left
command ([^] ⇧ ⇧ ⌘)

Maintained by @[thecarlo](#)

Import

> Disable the accidental keystroke prevention of Caps Lock

Maintained by @[tekezo](#)

Import

> CapsWord

Author: Pedro Fernandes (<https://github.com/PurnaDeva>)

Maintained by @[PurnaDeva](#)

Import

> Launch a new Terminal window with F4 (replace MacOS default Spotlight)

Maintained by @[jinyoungch0i](#)

Import

> Command + fn + Delete -> Forward Delete Line

Maintained by @[DeafSpy](#)

Import

> Caps Lock + Shift -> Caps Lock, Caps Lock ->
LeftCommand+Control+Shift+Option

Maintained by @[DeafSpy](#)

Import

> Lily58 Mode, left_control + jkl;.

Import

> CAPS LOCK twice & held_down to
CTRL

Author: Ramiro Garcia (<https://github.com/ranemirusG>)

Import

> Disable WifiDiagnostics shortcuts (Free up Hyper-W)

Import

> bbeerr's RK61 Hybrid Tier

Maintained by @[beermindnor](#)

Import

> Ctrl Key → Hyper Key (^ ⌘ ↩ ⌘)

Import

> Right Option Key → Hyper Key (^ ⌘ ↩ ⌘)

Import

> Caps Lock → Hyper Key (^ ⌘ ⇧ ⌘) (Caps Lock if alone)

Import

> Caps Lock → Hyper Key (^ ⌘ ⇧ ⌘) (Escape if alone)

Import

> Press Left Shift ⇧ and Right Shift ⇧ together to toggle
Caps Lock

Maintained by @[devnoname120](#)

Import

> Bepo CmdQwerty Toggle

Import

> Change Command_L (Left Command) and Command_R (Right Command) to Esc Key

Import

> Change caps_lock key (rev 5)

Import

> Capslock + Arrows for media keys

Maintained by @[mngyuan](#)

Import

> Change Command_L Key (Left Command)

Import

> Change Command_R Key (Right Command)

Import

> Command_L|Command_R + d to down arrow

Import

> Change Command_L (Left Command) and Caps_Lock Key

Import

> right_command + i/j/k/l to arrow keys

Import

> Change control key

Import

> Change control and Fn + letter keys to command and control keys

Import

> Double tap left_command to become left_control

Import

> Double tap left_control to become left_command

Import

> Double tap keypad_enter to double tap fn (start dictation.) Single tap for keypad_enter after a short delay (250ms.)

Import

> e0da Caps Lock

Import

> Function keys work as fn keys (instead of media keys)

Import

> CAPS_LOCK to Hyper/Escape, Hyper + i/j/k/l Vim navigation and others.

Import

> CAPS_LOCK to Hyper/Escape (SHIFT+COMMAND+OPTION+CONTROL) & Hyper
+ VIM Navigation keys

Import

> PC-Style Modifiers

Import

> Change shift key (rev 2)

Import

> [macOS] Windows-like word movement/selection/deletion

Maintained by @[tyru](#)

Import

> Remap R_Shift+ESC to Tilde rules

Import

> Right Shift Up if alone

Import

> Minimal dual keys

Maintained by @[yeonsh](#)

Import

> Change caps_lock to command

Import

> Simvi

Import

> mouse_key_gesture

Import

› shift + Esc Tilde to ~, command + Esc Tilde to `

Import

› Right Shift + Esc To ` | Left Shift + Esc To ~

Import

› Swap right cmd with right option

Maintained by @[devnoname120](#)

Import

› Windows Keyboard on Mac

Import

> Ctrl/Option/Command + Tab Change

Import

> Swap CMD and Option keys in the terminal (useful for CMD + f/b/d/./_ shell keybindings)

Maintained by @jjo

Import

> Map Control_Shift + C/V to copy/paste in term (ala Linux)

Maintained by @jjo

Import

➤ Map Capslock_Shift + C/V to copy/paste in term (ala Linux)

Maintained by @jjo

Import

➤ Bind Option+Tab to Command+Tab ('cycle through applications')

Import

➤ left_command + Insert/Delete/Home/End/PageUp/PageDown to Media controls

Import

➤ Caps Lock to ESC on tap/Left Alt on hold

Import

> Change caps_lock to dual keys, caps_lock and left_command.

Import

> Right Shift to Cmd+Space if alone (to redefine language switch to right shift)

Import

> Fn/Caps + WASD(↑ ← ↓ →) / QE(Home End) / RF(PageUp PageDown)

Import

> left_control + WASD(↑/←/↓/→) / QE(Home End) / RF(PageUp PageDown)

Import

> right command vi like v2

Import

> Use Caps Lock for German Umlauts and Eszett

Import

> Caps Lock → Meh (^ ˇ ı) (Caps Lock if alone)

Import

> Emacs key bindings (Move, Delete, Select)

Import

> Tab as a meta key for indentation/focus

Import

> Change right_command key to F19 when pressed alone

Import

> CAPSLOCK modifier suite

Import

> Russian Keyboard Remapping: Запятая на б

Maintained by @[maxdzyubak](#)

Import

➤ Russian Keyboard Remapping: Маленькая б на shift+б

Maintained by @[maxdzyubak](#)

Import

➤ Russian Keyboard Remapping: Точка на ю

Maintained by @[maxdzyubak](#)

Import

➤ Russian Keyboard Remapping: Маленькая ю на shift+ю

Maintained by @[maxdzyubak](#)

Import

- Russian Keyboard Remapping: Маленькая б на мягкий знак(ь).
- Мягкий знак(ь) на shift + б (в классическом исполнении мягкий знак(ь))

Maintained by @[maxdzyubak](#)

Import

- Russian Keyboard Remapping: Маленькая ю на твёрдый знак (ъ).
- Твёрдый знак на shift + ю (в классическом исполнении на твёрдый знак)

Maintained by @[maxdzyubak](#)

Import

- Caps Lock jklm (tsrn en bepo) [thooams]

Import

> Send Fn + Function key instead of Function key unless builtin

Import

> Spotlight on Meta/Command/Windows-Key

Maintained by @[9SMTM6](#)

Import

> Option+Left/Right/Delete/Shift to fn+Left/Right/Delete/Shift
(modify for ctrl)

Maintained by @[EamesTrinh](#)

Import

> Swap left Command and Option for all keyboards unless it's a built-in keyboard

Maintained by @[Jendker](#)

Import

> Swap Command and Option Keys

Maintained by @[FelixDuo](#)

Import

> HRM: Home Row Mods [^]⌘⌥⌘⌆

Maintained by @[gregorias](#)

Maintained by @[a-b](#)

Import

Emulation Modes

> Mouse full emulation with right command super fast

Maintained by @[maxdzyubak](#)

Import

> Toggle to vim hjkl in specified apps

Author: Ramiro Garcia (<https://github.com/ranemirusG>)

Import

>

HHKB-like arrow and page control

Import

> Capslock Enhancement

Author: Vonng(rh@vonng.com)

Maintained by @[Vonng](#)

Import

> Capslock Magic

Author: miozus

Maintained by @[miozus](#)

Import

> CAPS 4 Tenkey

Maintained by @[IvanShamatov](#)

Import

> CapsLock-X	Maintained by @ BryanHoo	Import
> CapsLock Plus	Maintained by @ BryanHoo	Import
> Caps Lock Vim Movements (rev 2)		Import
> WASD Arrows Layer (rev 2)		Import

> Comfortable text navigation (Vim)

Import

> LCMD + Arrow Keys

Import

> Control + Function Keys to Media Control

Import

> Left ctrl + hjkl to Arrow Keys Vim

Import

> Ctrl+p/Ctrl+n to arrow up/down

Import

> Left ctrl + pnbfae to up/down/left/right/home/end

Maintained by @[PisecesPeng](#)

Import

> Diamond Cursor Right Supplements (rev 2)

Import

> Diamond Cursor

Import

> DOS-Style Shortcuts

Import

> Emacs key bindings (rev 13)

Maintained by @[tekezo](#)

Import

> Universal Emacs Keybindings

Maintained by @[justintanner](#)

Import

> Ergo Fly Keys

Maintained by @[marlonrichert](#)

Import

> FC660C Arrow Keys

Import

> FC660C Media Controls

Import

> FN + Arrow Keys

Import

> Map fn + number keys to function keys (rev 2)

Import

> Change fn + p/l/;/ to arrow keys

Import

> Gaming cursor keys [WASD]

Import

> Happy Hacking Keyboard Compatible Mode (rev 2)

Import

> Home and End

Import



HyperIJKL

Author: Roman Yuldashev (RomanYuldashev@proton.me)

Maintained by @[RomanYuldashev](#)

Import



Change Modifier key + i/j/k/l to arrow keys

Import



Japanese NICOLA

Import

> Map Left Option plus h/j/k/l to Arrows

Import

> Map Left Option + Spacebar to Enter

Import

> Map Left Option with j/k/l/m to Arrows

Import

> Map Left Option with j/k/l/; to Arrows (QWERTY alt)

Import

➤ Map Left Shift plus Left Option with j/k/l/; to Page Arrows (QWERTY alt)

Import

➤ Mu Mode (rev 0.1)

Import

➤ Mu Mouse Mode (rev 0.3.1)

Import

➤ Nehem's cursor moves inspired by Anne Pro 2

Import

> New Poker II (Backtick, tilde & i/j/k/l as arrows)

Import

> Change fn + n/m/o/p' to page_up, page_down, home and end keys

Import

> Numeric Keypad

Import

> LCtrl-LShift-N to toggle num-lock

Import

> Caps Lock ON -> Numeric Keypad Mode

Import

> PC-Style Shortcuts

Import

> Pok3r Escape Key

Import

> Pok3r Media Controls

Import

> Change Poker Keyboard escape behavior

Import

> right shift vi like

Import

> Shift + Arrow Keys

Import

> Shift Home and End

Import

> SpaceFN

Import

> SpaceFN

Maintained by @[tshu-w](#)

Import

> TouchCursor Mode (rev 2)

Import

> Vi Mode, left_control + hjkl. shift/option/command + arrow working.

Import

> Use CAPS LOCK for vi navigation

Import

> Vi Mode (rev 5)

Import

> Vi Style Arrows Pushing Simultaneously

Import

> Vi Style Arrows

Import

> Vim Mode Plus

Import

> Vim Mode Plus

Maintained by @[gilitos92](#)

Import

> Vim Quick Mode Plus

Maintained by @[niksingh710](#)

Import

> Text Navigation (VIM style)

Import

> Vimium

Import

> Vimode with smart caps

Maintained by @[Lance1o7](#)

Import

> Window Resizing

Import

> Windows shortcuts on macOS

Import

➤ CAPS LOCK: Converts 'jkl;' to arrow keys, and 'spacebar' to a shift+opt modifier for easy text selection

Import

➤ Vi and other (Workman keyboard layout)

Import

➤ Right OptionFN

Import

➤ Windows-ify Key Mappings on Mac OS

Import

> HHKB arrows using Right Shift

Import

Alternative Keyboard Layouts

> LOFT Keyboard

Maintained by @[loftkeyboard](#)

Import

> Microsoft Windows PC for macOS and Colemak users, with Jetbrains products exceptions

Maintained by @[xVemu](#)

Import

> Zweih's Arrow Keys

Import

> Keypad as Arrows (windows style)

Import

> Change caps_lock key (German keyboard layout)

Import

> Dvorak Keyboard

Import

> Dvorak-CmdQwerty Keyboard

Import

> Dvorak-CmdQwerty Keyboard

Import

➤ Programmer Dvorak-CmdQwerty Keyboard (rev 2)

Import

➤ Programmer Dvorak CmdQwerty Toggle

Import

➤ Colemak Keyboard

Import

➤ Colemak Mod-DH Keyboard (ANSI)

Import

> Colemak - Command Qwerty

Import

> CODEmak (Coder's Colemak): symbolic number-row

Import

> Enthium Layout By Sunaku

Import

> Neo2

Maintained by @[jgosmann](#)

Import

> Neo layouts based on ABC - Extended layout

Import

> half-qwerty keyboard emulation (rev 2)

Import

> Half-QWERTZ (German one-handed layout)

Import

> Command_L|Command_R + Return to Backslash

Import

> Dvorak Keyboard Left Handed

Import

> CarpalX QGMLWY Keyboard USA

Import

> CarpalX QGMLWB Keyboard USA

Import

> CarpalX QFMLWY Keyboard USA

Import

> Frogpad one hand keyboard - right

Import

> Frogpad one hand keyboard - left

Import

> MultiN Mode: Use TouchBoard To Extend Keyboard

Maintained by @[ChenIm](#)

Import

> Change keyboard layout from UK to US for

Import

> New Bulgarian Phonetic

Import

International (Language Specific)

> Key layout for Japanese: Naginata (薙刀式) v16

Import

> Multi-Layered Keymap for Japanese Keyboards: Cursor, Mouse, NumPad, Web Browser, etc.

Maintained by @[susumuota](#)

Import

> Switch EN/CH/JA with left_cmd, right_cmd, and right_option

Import

> Toggle Chinese English With caps_lock

Import

＞ Switch to Simplified Chinese (简体中文) by pressing left-alt alone

Import

＞ For Japanese (日本語環境向けの設定) (rev 6)

Import

＞ For Japanese (JIS配列をASCII配列風にする設定)

Import

＞ Japanese JIS to US Keyboard: Remap Symbol Keys

Maintained by @[halfwhole](#)

Import

> US (remote) ← JIS (local) : リモートの US キーボードを JIS キーボードとして使えるようにする

Maintained by @[tonextone](#)

Import

> 英かな/⌘ for Japanese

Import

> German PC-Style Shortcuts (Enable various Alt Gr key combinations)

Import

>

German PC-Style Shortcuts (Enable various Alt Gr key combinations), Dell Keyboard

Import

> German Umlaut

Import

> German mapping for programming (/, \, |, {}, [], ~) (rev 2)

Import

> Keyboard Mapping for German Umlauts with Option Key (Including Capitals)

Import

> German punctuation {}[]\|~@ (braces, brackets, backslash, pipe, tilde, at) on non-Mac keyboards

Import

> German PC-Style Mapping (PC/ISO to MacOS)

Import

> Hungarian PC-Style layout (Enable various Alt Gr key combinations)

Import

> Hungarian: replace ű-return with return

Maintained by @[balintb](#)

Import

> US keyboard with Croatian letters on right command key

Maintained by @[mightymatth](#)

Import

> Czech PC-Style Shortcuts (AltGr+V -> '@', AltGr+Q -> '\', AltGr+B -> '{', AltGr+N -> '}' etc...)

Import

> Hold and tap for Spanish accents

Import

> For British Keyboard (Exchange £ and #)

Import

> Swap ¥ and \ for Japanese Romaji input on US Keyboards

Import

> Swap ¥ and \ always on JIS Keyboards

Import

> Swiss Keyboard Layout for macOS

Import

> Swiss PC-Style Shortcuts

Maintained by @[Birate](#)

Import

> For Korean Keyboard

Maintained by @[Metalliza](#)

Import

> For Korean PC Keyboard

Import

> Change input-source directly for korean

Maintained by @[creatorKoo](#)

Import

> CapLock to Korean <-> English (include parallels)

Maintained by @[wooglae,kim](#)

Import

> Korean Won (~~₩~~) to Backtick (`) with shortcut preserved

Maintained by @[sts07142](#)

Import

> For Korean

Import

> For Korean (한국어, 일본어, 영어를 사용할 경우 언어전환을
쉽게)

Maintained by @[buzzricksons](#)

Import

> For Russian

Import

> Swap slash(/) to period (.) and question mark (?) to comma(,) in Cyrillic layouts

Import

>

Norwegian mapping for programming (\, {}, <>)

Import

> Finnish mapping for programming (|, {} and \)

Import

> Make circumflex, tilde and backtick work with one stroke on Spanish key layout.

Import

> Swedish Umlaut

Import

> For Russian keyboard (exchange № and #)

Import

> Swedish Windows keyboard for programmers

Import

> Swedish Logitech MX keyboard - Fred Edition

Import

> Danish DK Programmer Keyboard

Import

> Quickly switch to Chinese input on a JIS keyboard

Import

> Left CMD -> en, Right CMD -> ru, Right Opt -> uk

Import

> RDP for Japanese, US Keyboard (リモートデスクトップとUSキーボード、日本語環境の設定)

Import

> Russian Keyboard Remapping

Import

> EisuuFN

Import

> KanaFN (“keyexchange”-compatible)

Import

> Windows-like combinations for French-AZERTY layout

Import

> Windows style input change Alt + Shift for Mac

Import

> Left Shift → Change to/from English input

Import

> ISO PT-PT keyboard to Mac PT-PT

Import

> Switch EN/JP/KR with print_screen, scroll_lock, and application

Import

> caps_lock to EN, shift+caps_lock to RU

Import

> Press and hold 'a' or 'A' for 500ms to type a German 'ä'

Import

> Linthuanian characters with Option + numpad numbers

Import

Key Specific

› Double-tap play/pause to skip track

Maintained by @[yarinkaul](#)

Import

› Convert ù to an accute accent (´) dead key (AZERTY) (rev 2)

Import

› Auto close brackets & quotes

Import

› Change grave accent (backtick) to escape, option grave accent to grave accent

Import

› Exchange command + arrows keys with control + arrows keys

Import

› Exchange command + arrows keys with option + arrows keys

Import

› Command + Esc to Command + `

Import

› Command + ` Grave Accent, Tilde to Esc

Import

> Global app shortcut

Maintained by @[creatorKoo](#)

Import

> Command_R + Shift_R to Command + Tab

Import

> Map Ctrl+Backspace-Delete to Fn+Backward-Delete (suppr current character)

Import

> Change control+comma & control+period

Import

> Left control to shift (useful for fixing typos when caps lock is remapped to control)

Import

> Map ctrl+up to down

Import

> Ctrl+b/Ctrl+f to left/right arrows

Import

> Exchange control + arrows keys with option + arrows keys

Import

> Exchange control + deletes with option + deletes (forward and backward)

Import

> Map Ctrl-Backspace to forward Delete (forward delete one character at a time).

Import

> Convert <c-'> to double quote

Import

> Change delete key (rev 3)

Import

> Maps Eject to Screenshot

Import

> Equals + Delete to Forward Delete

Import

> For Vim User Esc to en_US/ABC IME

Import

> Prevent exiting full screen on pressing ESC

Import

> Change escape key (rev 4)

Import

> Exchange Command+Backward-Delete (delete current line) and Option+Backward-Delete (delete current word)

Import

> Exchange Command+Forward-Delete and Option+Forward-Delete

Import

> Exchange Command+Tab (generally 'cycle through applications') and Control+Tab (generally 'cycle through tabs')

Import

> Exchange left_paren and semicolon

Import

> Exchange numbers and symbols

Maintained by @[tekezo](#)

Import

› Exchange semicolon and colon

Import

› Exchange single and double quote

Import

› Exchange square brackets and curly brackets

Import

› Use F12 to open Dev Tools

Import

> F14 to copy & F15 to paste

Import

> F2 to cut, F3 to copy, F4 to paste

Import

> F13 to copy & F14 to paste

Import

> Fn + Backspace to Forward Delete

Import

> Change fn + grave_accent_and_tilde to esc

Import

> focusaperture Control: Media & Brightness Controls (fn+Arrows)

Import

> Remove ctrl+left click to right click

Import

> Left shift to Escape on single press alone, shift when held or combined

Import

> Media keys only control iTunes

Import

> Media keys only control Apple Music.app

Import

> Change modifiers to arrows

Maintained by @[thoelze1](#)

Import

> Tapping modifier-keys produces a f-key.

Import

> Change mouse buttons (rev 2)

Import

> mouse_key_gesture_for_microsoft_teams

Import

> MouseButton4 to DoubleClick (don't forget to enable your mouse under Devices)

Import

> MouseButton4 to Control + z (don't forget to enable your mouse under Devices)

Import

> MouseButton5 to Control + MouseButton1 (don't forget to enable your mouse under Devices). Usefull for gaming purposes, escpecially on Macbooks, where Cmd is placed in place of Ctrl.

Import

> Mouse buttons 3,4,5 -> screenshot, paste, copy

Import

> Disable alt+spacebar (nonbreaking space)

Import

> Change option + f/b to option + left arrow/right arrow

Import

> Use PC Print Screen button for screen capture

Maintained by @[0x15e](#)

Maintained by @[Metalliza](#)

Import

> Change return to control

Import

>

Map Right Option Key to Underscore

Import

> Maps F3 to Clipboard Screenshot

Import

> Section sign (§) to Escape

Maintained by @[kopach](#)

Import

> Section sign (§) to backtick (`)

Maintained by @[fredericrous](#)

Import

➤ Shift-Delete to Delete-Forward (+Option = delete word, +Command = delete line)

Import

➤ General - Shift + Delete to Insert Copy Buffer

Import

➤ Sinoridha Function Key

Import

➤ Change spacebar

Import

> Spacebar changes

Import

> Standard media control keys using the fn key

Import

> Exchange paren and square bracket

Import

> Mapping [left_option-{'1-0,-,='}] to {F1-F10,F11,F12}

Import

> Touch bar lock

Maintained by @[akrmn](#)

Import

> Caps Lock to Escape, enable Caps Lock when held

Import

> Right Command + v to paste without formatting

Import

> Maps Right Command to Screenshot

Import

> Command-LR + Esc to Command + `

Import

> Maps F6 to Ctl + Eject (Shutdown dialog)

Import

> Map Left Option with n/e to Down/Up arrows;

Import

> keypad_0 to copy & keypad_plus to paste

Import

> Nyankko Akko

Import

> mouse_button4_to_back_action(command +
left_arrow)_and_mouse_button5_to_forward_action(command+right_arrow)

Import

> Launch Control Center Using "f8"

Import

> Tab to Hyper When Held

Import

> RShift + Numbers to F-keys

Import

> Capslock + number => Function keys

Author: <https://github.com/rlei>

Import

> [macOS] Use Caps Lock + Arrows to Navigate Tabs

Import

> [macOS] Map F4 to Command+Space

Import

> Keypad comma to period

Import

> Change Grave Accent(`) to Esc (Filco Minila-R)

Maintained by @[RishyPa](#)

Import

> reasonable change

Import

> Backspace Enhancements

Import

> Control + Arrow to Volume & Display Brightness Control

Import

> esc = ctrl + g

Import

> Lock screen and sleep by fn+s

Maintained by @[tekezo](#)

Import

> Use PC Insert button for screen capture to Clipboard

Maintained by @[unity1979](#)

Import

> Intuitive smart quote mapping for Mac

Import

> Double Tap Modifier -> Hyper + Numeric Key

Import

> Fn -> Hyper

Import

> Fn alone -> Esc

Import

> Right Option -> Fn

Import

> F3~5 to screenshots

Import

Device Specific

➤ Keypad as App Launcher

Maintained by @[Mikadifo](#)

Import

➤ Matias Ergo Pro Keyboard

Maintained by @[mingaldrichgan](#)

Import

➤ Typematrix 2030 USB pc style Copy/Cut/Paste - BEPO layout

Import

➤ Typematrix 2030 USB pc style Copy/Cut/Paste

Import

> Logitech R400

Import

> Using Vi with Footpedal

Import

> `mouse_button3_to_back_action(command + left_arrow)`

Import

> Hub16 Apps

Import

> NuPhy NuType F1 keyboard

Import

> ARCHISS Quattro TKL for macOS JIS

Import

> British Keyboard (DURGOD Taurus K320) on MacBook Pro with pt-PT support

Import

> Razer Naga Pro

Maintained by @[mark-nicepants](#)

Import

> Razer Tartarus v2	Maintained by @ rbradcurtis	Import
> ROG Chakram Joystick	Maintained by @ gtavanez	Import
> Microsoft Ergonomic Desktop (RJU-00004)		Import
> Microsoft Sculpt Ergonomic Desktop (L5V)		Import

> Microsoft Sculpt Ergonomic Desktop (ISO PT-pt keyboard layout)

Import

> Razer Orbweaver Chroma

Import

> Keychron K3 Remap £ to # for British Keyboard

Maintained by @[fredericrous](#)

Import

> HHKB RCtF (Right Cmd to Fn)

Import

> HHKB mapping for programming (Fn+comma → <, Fn+period → >)

Import

> PC-Style Shortcuts

Import

> Disable YubiKey 5C Nano Keystrokes @jonatasrenan

Maintained by @[jonatasrenan](#)

Import

> MS Natural Keyboard 4000

Import

> Logitech G503 Hero

Import

> Swap z to [copy] & x to [paste] for 2 keypad keyboard like
osu nono

Maintained by @[goldsky](#)

Import

> Plexgear WL-PR1000 HAS wireless mouse side buttons to left
and right

Maintained by @[stoivo](#)

Import

> Disable external keyboard input when macbook is opened

Import

> Change Command_L|Command_R + Period to Escape

Import

> CIDOO V75 Pro — Escape & Tilde Swap Mod w/ Hyper Key

Maintained by @[gsinti](#)

Import

> ComboStick

Maintained by @[tekezo](#)

Import

➤ Plum Nano 75 Bluetooth NiZ KB75 75EC-XRGB (fix quotes and semicolon)

Maintained by @[orkoden](#)

Import

➤ Navigation layer and combos for 54 button keyboards

Import

➤ Corsair MARK 75 → Apple UK (VID 6940, PID 11012)

Import

> Mouse Emulation for Glove 80 Lower Layer

Maintained by @[yoyomeng2](#)

Import

Personal Settings

> HHKB modifiers for mutoe (Tab key)

Import

>

Maps by Torma

Maintained by @[alextorma](#)

Import

> Personal Thooams Remapping

Import

> personal @jonlev1n

Import

> Launch MacOS apps

Import

> Hai HHKB: when(right_cmd->fn) jkil->arrow && ,->pageup && .->pagedown && 4->F4 && [->back &&]->forward

Import

Hai HHKB Launch apps (KeyLockr, Gan Jing Browser/Brave, VS Code, Signal,
> Slack, Postman, Sublime Merge, iTerm, Thunderbird, iMessage, Mail, Draw.IO, Sequel Ace, TablePlus)

Import

> Minacle Key Customisation

Maintained by @[minacle](#)

Import

➤ Personal rules (@rakeshtembhurne) - Workaround for auto-jumping or non functioning keys

Import

➤ Personal rules (@tekezo)

Maintained by @[tekezo](#)

Import

➤ Personal rules (@tekezo) simple_vi_mode (rev 4)

Maintained by @[tekezo](#)

Import

➤ Personal rules (@tekezo) Launcher Mode v4

Maintained by @[tekezo](#)

Import

➤ Personal rules (@apm1467)

Import

➤ Advanced Keymap for JIS Keyboard: Project “UTILITY”

Import

➤ Personal PC-Style Shortcuts(@Bave Lee)

Import

➤ Personal rules (@drazcmd)

Import

> Personal rules (@funck)

Import

> Personal rules (@jeebak)

Import

> Personal rules (@rubocoptero)

Import

> Personal rules (@wgj)

Import

> Personal rules (@yqrashawn)

Import

> Personal rules (@kbdluv) (rev 2)

Import

> Personal rules (@alatas)

Import

> Pinkyless Dvorak (Rev.3)

Import

> Personal rules (@mingaldrichgan)

Maintained by @[mingaldrichgan](#)

Import

> Backtick (grave accent/tilde), Z, or Slash as Ctrl

Import

> ultimate macOS

Maintained by @[sulativevil](#)

Import

> Richi - Select and Navigate Word PC Style (you must use swap COMMAND and CTRL in other case)

Import

> Personal rules (@itmammoth)

Import

> Sunn Yao's Personal Configurations

Import

> Personal rules (@karszawa)

Import

> Personal rules (@iliaskarim)

Import

> Personal rules (@sidharthv96)

Import

> EmsSpree's personal rules

Import

> Personal rules (@JavierMonton)

Maintained by @[JavierMonton](#)

Import

> Personal rules (@iwaltgen)

Maintained by @[iwaltgen](#)

Import

> Personal rules JIS (@toshi-ue) blank...

Import

> Personal rules (@dchf12)

Import

> Personal rules (@ccmvn)

Maintained by @[ccmvn](#)

Import

> Personal rules (@dziaineka)

Import

> Personal Rules (@omonomo)

Import

> Capslock as a modifier key - arrows emulation, media keys, basic
os hotkeys (@mlewand)

Maintained by @[mlewand](#)

Import

> KonKen's Setup: For Efficient Text Typing

Import

> KonKen's Setup: Quick App Launchers for Mac

Import

> KonKen's Setup: US/JIS Adaptor

Import

> Personal rules (@arichiardi)

Maintained by @[arichiardi](#)

Import

Miscellaneous

➤ Disable print shortcut on Finder

Maintained by @[ronaldsuwandi](#)

Import

➤ Disable mail shortcut on Safari

Maintained by @[ronaldsuwandi](#)

Import

➤ Force the user to make key combination with two hands (rev 2)

Import

› Exchange hyphen and underscore

Import

› Exchange underscore and backslash

Import

› Modern Space Cadet (rev 3)

Import

› Command_L + backslash to slash

Import

> Save pinky fingers (rev 2)

Import

> switch English, Chinese, Japanese

Import

> Workaround broken s,w,2,tab,esc,< by fn+neighbour on Apple internal kbd only

Import

> Autoshift: Post key if pressed alone, shifted key if held down

Import

> Autoshift 2: Post key if pressed alone, backspace then shifted key if held down

Import

> right_control to end; and if held, home

Import

> Command Shift Home and End

Import

> Comfortable CTRL-W to delete-backward-word

Import

Command arrows and home end

> Capslock Toolbox

Maintained by @[haohancom](#)

Import

> command + h/j/k/l/u/i to arrow keys and home end

Import

> JKIL arrows (touch-typing cursor and more)

Maintained by @[kravchik](#)

Import

> Wordstar Diamond inspired keyboard navigation: Fn + ESDX etc.

Import

> WASD 60% Keyboard Shortcuts - Hold CAPS LOCK for ijkl arrow keys, hnuo for home/end/pgup/pgdown

Maintained by @[peirano](#)

Import

Keychron K2

> Change Keychron K2 keyboard layout to more closely resemble an Apple keyboard

Import

> Remap some Keychron K2(US) keys to make it less painful to switch from
Macbook(RU) keyboard

Import

Keychron K6

> Keychron K6 Shortcuts

Maintained by @[sourabhv](#)

Import

> Keychron K6 Better Escape Key

Import

> Keychron K6 Escape Key/ `/~ modifications

Import

> Keychron 6 Remap PageUp & PageDown to CMD + Left Arrow & CMD + Right Arrow

Import

> Keychron K6 Useful Escape & Caps Lock Hyper Mod

Maintained by @[gsinti](#)

Import

> Keychron K6 Spanish

Maintained by @[bguzmanm](#)

Import

> Keychron K6 es-Latam

Maintained by @[bguzmanm](#)

Import

Keychron K8

> Keychron K8 Microphone Button to Webex Mute

Import

> Keychron K8 Microphone Button to Zoom Mute

Import

> Keychron K8 Microphone Button to Microsoft Teams Mute

Import

Keychron K14

> K14 tilde

Import

KKmoon

>

KKmoon USB game foot switch to Microsoft Teams Mute

Import

Trackball Tools

> Trackball tools

Import

Others

> VSCode, Cursor, & 1Password Compat

Import

> 8Bitdo Mute button on teams

Import

> Caps Lock → Hyper Key

Import

› Caps Lock to Esc, Ctrl, and NumPad

Maintained by @[brycek bargar](#)

Import

› Capslock for Chinese

Maintained by @[RickWang000](#)

Import

› Tab only in Roblox (Full Lock)

Import

› Right-Hand Dvorak Keyboard

Import

> Fn + space = emoji menu (command+control+space)

Import

Fn = Option + Space. For better changing input sources if you have Cmd + Space
> for Spotlight. (Set Globe Key to do nothing and set Option + Space for "Select the previous input source" in Keyboard shortcuts)

Import

> Get Specific Language

Import

> IME

Import

> Left Control to Navigate

Import

> Logitech MX Keys with dongle - Swap left cmd with left option

Maintained by @[damianjankowski](#)

Import

> Logitech MX Keys with dongle - Swap right cmd with right option

Maintained by @[damianjankowski](#)

Import

> Command + Shift + v to paste without formatting

Import

> HarunMod

Import

> Maps Screenshot to Backspace (Keychron K3)

Import

> Tye Tartarus Clip Studio Paint v2.json

Maintained by @[quantum-designer](#)

Import

> Spanish keys for english keyboard

Import

> commaspace

Import

➤ akimbo cmd to F12

Import

➤ Mouse 4/5 to switch Application on Mac

Import

➤ Launch apps from any layout (Safari, Brave, Chrome, Finder, VS Code, PyCharm, Mail, Slack, Telegram, Figma, Sublime, iTerm, Activity Monitor)

Import

➤ Cassim's version of Windows-like combinations for French-AZERTY layout

Import

> Backslash (\) to forward delete. (Use Fn + \ for default behavior)

Import

> Delete when modifier+Backspace

Import

> Bind unexistant key Slash (/) on Swiss KeyBoards (by using US keyboard for just one key)

Import

> Caps → Ctrl/Esc if alone

Maintained by @[mngyuan](#)

Import

> Caps Lock to Hyper (Hold) or Backspace (Tap)

Maintained by @[astukaturov](#)

Import

> Hold CAPS LOCK for ijkl arrow keys (Anne Pro 2)

Import

> Change caps_lock to dual keys, escape and left_control.

Import

> Change caps_lock to fn on press and hold

Import

> Change caps lock to hyper key and double tap right ↑ key to caps lock

Maintained by @[annietma](#)

Import

> Capslock WASD Navigation

Maintained by @[nuclearmonster](#)

Import

> CapsLock as ESC

Import

> Capslock Mode

Author: <https://github.com/Titancube>

Maintained by @[Titancube](#)

Import

> Change Command_L|Command_R + Period to Escape

Import

> Google Chrome URL Copy

Maintained by @[doxxx93](#)

Import

> Citrix key combinations (use with configuration of mapping $\sim \rightarrow \text{⌘} \sim$)

Import

> Citrix Receiver/Workspace remove Fn key from Functional (F*) keys

Import

> cmd + Shift Switch Languages

Maintained by @[s4wet](#)

Maintained by @[Dolfost](#)

Import

> Single left command key press to switch input source

Import

> Command_R + BackSlash to Command + Tab

Import

> Cmd + (Shift) + L/R Arrow --> Control + (Shift) + L/R Arrow

Import

> Caps lock to backspace and backspace to delete forward, but only on Colemak

Import

> Colemak accents for French Language (Colemak layout set on MacOS)

Import

> Colemak Keyboard Ru Sync

Import

> Change $\mathfrak{K}(\text{jikl})$ to $\mathfrak{K}(\leftarrow \uparrow \downarrow \rightarrow)$ keys and $\mathfrak{K} \uparrow (\text{jikl})$ to $\mathfrak{K} \uparrow (\leftarrow \uparrow \downarrow \rightarrow)$ keys

Maintained by @[annietma](#)

Import

> Change $^{\wedge}(\text{jikl})$ to $^{\wedge}(\leftarrow \uparrow \downarrow \rightarrow)$ keys, $\mathfrak{K} \neg (\text{jikl})$ to $\mathfrak{K} \neg (\leftarrow \uparrow \downarrow \rightarrow)$ keys, and $\mathfrak{K}^{\wedge}(\text{jikl})$ to $\mathfrak{K}(\text{jikl})$ keys

Maintained by @[annietma](#)

Import

> Change $^{\wedge} \uparrow (\text{jikl})$ to $\uparrow (\leftarrow \uparrow \downarrow \rightarrow)$ keys

Maintained by @[annietma](#)

Import

> control + w,i,l,u,n,p,h,b,f -> delete left word, move cursor one word to left/right etc.
删除左面一个词, 光标左/右移一个词 等等

Import

> Ctrl + comma/period to lesser/greater-than signs

Import

> Change Ctrl+h to delete/backspace

Import

> Ctrl key -> hyper key without shift (⌘ ⇧ ^)

Maintained by @[dmun](#)

Import

> Dark Reader Toggle

Import

> Change delete_forward to cmd+backslash in finder

Import

> dell-travel-keyboard-ansi-to-jis

Import

> Personal rules (@devheedoo)

Maintained by @[devheedoo](#)

Import

› DK: Switch Pause key of Win keyboard to CMD+§ (CMD+non_us_backslash), that can be used as Punto Switcher App hotkey.

Import

› Keychron K6 pro: ESC -> ~/` and RIGHT_COMMAND -> HYPER

Import

› DURGOD Hades UK Layout - Sam McKay

Import

› Easy Backspace Rules

Import

> Effective Utilization of Bottom Row

Import

> Emulate mouse clicking and scrolling

Import

> Escape enhancements

Import

> Evernote slashcommand-killer

Maintained by @[AoVA](#)

Import

> Exchange vertical bar pipe (|) and backslash (\)

Maintained by @[duleorlovic](#)

Import

> Function keys work as Fn keys (instead of media keys) for Far Manager 2

Import

> Finnish internal keyboard | (vertical bar, pipe)

Maintained by @[wtflm](#)

Import

> Use CMD+. to toggle PiP in Firefox

Import

> Map fn+up to left

Import

> Map fn+up to down

Import

> Fn + NumPad Mac Style

Author: Jerry Jeong

Import

> Fn + NumPad old MacBook Layout

Import

> Fn + [to Esc

Import

> fn+open_bracket/close_bracket to page up/page down

Maintained by @[duleorlovic](#)

Import

> Emoji menu (command+control+space) for Windows style

Import

> Fn + Enter to Insert

Import

> Windows french keyboard

Import

> Make tilde and backticks work with one keystroke on French PC key layout.

Import

> German toggle comment: CMD+/ (EN) to CMD+# (DE)

Import

> Function keys work as Fn keys (instead of media keys) for JetBrains GoLand

Import

> Hai HHKB: Fn+1->F1, Fn+2->F2, ... (suggestion: right_cmd->Fn)

Import

> Hai HHKB Launch app (iPhone Mirroring)

Import

> Hai HHKB Launch app (Xcode)

Import

> Hai HHKB Launch app - chatfinity

Import

> HHKB arrows for RealForce R3

Import

> Hlibk Fn navigation

Import

> TouchCursor Mode (hlibk)

Import

> Page down / home to switch Application on Mac

Import

> Change hyper-(jkl) to (←↑↓→) keys

Maintained by @[annietma](#)

Import

> Spanish punctuation: [¿] (inverted question mark)

Maintained by @[ticodb](#)

Import

> Complete layout for ISO-FR AZERTY keyboards (TKL Keyboard) + Basics Ctrl + [?] shortcuts

Import

> keypad_comma, keypad_period to period (Italian Keyboard)

Import

> Jack's Fn Shortcuts

Import

> JKIL arrows [left command] (touch-typing cursor and more)

Maintained by @[jordandraper](#)

Import

> TES68 Volume and Brightness Macros + Up/Down Arrows

Import

➤ Map Keychron Dictation Key on Mac

Maintained by @[paritoshshah](#)

Import

➤ Swap Won (~~₩~~) and backtick (`) in Korean layout.

Import

➤ Language switching for vi style modification

Import

➤

left_control+open_bracket/close_bracket to page up/page down

Maintained by @[duleorlovic](#)

Import

> Map Left Option + E to Nothing

Import

> Left Shift + Spacebar => Backspace

Import

>

Logitech Spotlight (Left Arrow to Shift+Spacebar and Right Arrow to Spacebar for Reveal.js

Import

> MacOSX 60%
Arrows

Author: Diego Morales (<https://github.com/damg22>)

Maintained by @[damg22](#)

Import

> Machenike K500W PT-BR ABNT2 Web Developer
Setup

Maintained by @[filiperochalopes](#)

Import

> map cmd+q to cmd+shift+q

Import

> Command + close bracket to open bracket; equal to hyphen; semicolon to quote

Import

> Map Left Shift + Caps Lock to Enter

Maintained by @[jordandraper](#)

Import

> Maps Prtscr to Screenshot

Import

> Microsoft Sculpt Ergonomic Desktop (latin american keyboard)

Import

> MINILA Emulator

Import

> Minimal HYPER

Import

> Mac Mouse 4/5/6 desktop switcher

Import

> Mouse keys Minimal

Import

> MouseButton 10 to command + option + control + shift + 5 (don't forget to enable your mouse under Devices)

Import

> MouseButton 11 to command + option + control + shift + t (don't forget to enable your mouse under Devices)

Import

>

MouseButton 12 to command + option + control + shift + 6 (don't forget to enable your mouse under Devices)

Import

> MouseButton 13 to command + option + control + shift + y (don't forget to enable your mouse under Devices)

Import

> MouseButton 14 to command + option + control + shift + 7 (don't forget to enable your mouse under Devices)

Import

➤ MouseButton 15 to command + option + control + shift + u (don't forget to enable your mouse under Devices)

Import

➤ MouseButton 16 to command + option + control + shift + 8 (don't forget to enable your mouse under Devices)

Import

➤ MouseButton 17 to command + option + control + shift + i (don't forget to enable your mouse under Devices)

Import

➤ MouseButton 18 to command + option + control + shift + 9 (don't forget to enable your mouse under Devices)

Import

➤ MouseButton 19 to command + option + control + shift + o (don't forget to enable your mouse under Devices)

Import

➤ MouseButton 20 to command + option + control + shift + 0 (don't forget to enable your mouse under Devices)

Import

➤ MouseButton 21 to command + option + control + shift + p (don't forget to enable your mouse under Devices)

Import

➤ MouseButton5 to Command + Shift + n (don't forget to enable your mouse under Devices)

Import

➤ MouseButton6 to Command + option + n (don't forget to enable your mouse under Devices)

Import

> MouseButton7 to Command + plus (don't forget to enable your mouse under Devices)

Import

> MouseButton8 to Command + minus (don't forget to enable your mouse under Devices)

Import

> Move mouse to next monitor

Import

>

keyboard_plus to start for neovim / vim keyword search -> star * or
shift + keyboard_plus for pound #

Maintained by @[pavelz](#)

Import

> Treat Dictation as F5

Import

> Nightfall Dark Mode Toggle

Import

➤ Nuphy Air60 Escape Key Modifications

Import

➤ Make tilde (~), backtick (`) and accent circumflex ^ work with one keystroke Mac FR.

Import

➤ Option+arrow to PageUp/PageDown/Home/End

Import

> Option + Esc to Grave Accent

Import

> Change $\text{⌘}(jkl)$ to $\text{⌘}(\leftarrow \uparrow \downarrow \rightarrow)$ keys and $\text{⌘} \uparrow (jkl)$ to $\text{⌘} \uparrow (\leftarrow \uparrow \downarrow \rightarrow)$ keys

Maintained by @[annietma](#)

Import

> Focus desktops with option + numbers

Import

>

Change § to Ctrl-a

Import

> Use Print Screen (PrtScn) PC button for screen capture portion to Clipboard - Same as Cmd+Ctrl+Shift+4

Maintained by @[arkulkarni](#)

Import

> Use Right Ctrl + Application (right click) PC keyboard buttons to open the Calculator app

Maintained by @[arkulkarni](#)

Import

> Personal rules for Gabrys (@gabrys)

Import

> mitch 60% compatible arrows and keys

Import

> Mappings for (fairly old) Razer Naga Epic mouse
(@mlewand)

Maintained by @[mlewand](#)

Import

> Personal rules (@seung-00)

Import

> Personal rules JIS (@toshi-ue) Control + keys to Shift + keys

Import

> Personal rules JIS (@toshi-ue) others...

Import

> Personal rules JIS (@toshi-ue) Swap numbers and symbols

Import

> Personal rules (@toshi-ue) US Keyboard Settings

Import

> Personal rules JIS (@toshi-ue) vi mode shortcut command in terminal apps

Import

> Prevent unintended command-w

Import

> Printscreen, Alt+Printscreen, Ctrl+Printscreen to Capture

Import

> R_CMD to switch input languages, especially Korean

Maintained by @[predict-woo](#)

Import

> Razer Naga v2 Hyper

Maintained by @[ryparker](#)

Import

> Right Cmd to Left Cmd + Left Option

Import

> Remap PC-Keyboard Alt/Cmd to Ctrl/Alt in RDP sessions.

Import

> Real Prog Dvorak Keyboard based on ThePrimeagen

Import

> Map Right Command Key to Underscore

Maintained by @[duleorlovic](#)

Import

> ROption + Numbers to F-keys

Import

> Right Shift Home/End to Shift + Start/End line

Import

> right_shift_x2_to_mission_control

Import

> Personal rules (@river)

Import

> RK61 Keyboard Mac Fix: Tilde and Slash Key Remapping

Maintained by @[juan-28](#)

Import

> Fix German Keyboard Dead Keys: Backtick, Tilde, Circumflex

Import

> ABC Extended Schwa

Import

> Section sign (§) to backtick (`) in English keyboards

Maintained by @[kuzdogan](#)

Import

> Section Sign (§) to Forward Delete

Maintained by @[Radllafer](#)

Import

> Shapr3d rotation

Import

> Change $\uparrow$ (caps_lock)(jkl) to $\uparrow$ ($\leftarrow \uparrow \downarrow \rightarrow$) keys

Maintained by @[annietma](#)

Import

> Change shift+f19 to capslock

Import

> Shift key training wheels

Import

> ShiftKey training wheels 2

Import

➤ Shift on hold space, space on tap

Import

➤ Tap left shift to open and right to close curly brace

Import

➤ Tap left shift to open and right to close parenthesis

Import

➤ Shortcut Delete and Enter

Import

> Change spacebar to right option on press and hold

Import

> Spanish characters: [Ñ] (Uppercase and Lowercase ñ shortcut bundle)

Maintained by @[ticodb](#)

Import

> Spanish punctuation: [¡] (inverted exclamation)

Maintained by @[ticodb](#)

Import

> Spanish Keyboard Vowels Bundle

Maintained by @[ticodb](#)

Import

> Super ctrl + cmd!

Import

> Swap "command + tab" with "control + tab" optional shift

Import

> Swap "command + tab" with "control + tab"

Maintained by @[Radllauffer](#)

Import

> Swap Ctrl+Shift with Ctrl+Space for Input Source Switching

Import

> Swap Right Command and Right Option globally

Maintained by @[mircobabini](#)

Import

> switch Language with option+1/2/3(kor, eng, ja)

Import

> R_ALT to switch input languages as it is in Windows
(especially Korean)

Maintained by @[pydemia](#)

Import

> R_CMD to switch input languages like R_ALT in Windows
(especially Korean)

Maintained by @[pydemia](#)

Import

> Switchable Vimish Navigation

Import

> Tab to Mash When Held

Import

> Tap Caps Lock for ESC or Hold for Control

Import

> Toggle delete with lock key For Magic Keyboard

Maintained by @[eunrui](#)

Import

> Toggle Kotoeri punctuation style

Import

> Tomita-shiki modifications

Import

> Better Keyboard Map: Shift+Esc -> Caps; Caps -> Esc
(alone),L_CTRL (chorded); CTRL+i/j/k/l -> arrows; L_SHIFT -> (
(alone),L_SHIFT (chorded) & R_SHIFT ->) (alone), R_SHIFT
(chorded)

Maintained by @[alextorma](#)

Import

> Map Ctrl+I/J/K/L -> Arrow Keys

Maintained by @[alextorma](#)

Import

> Map Caps -> Esc (when alone), L_Ctrl (when chorded)

Maintained by @[alexorma](#)

Import

Better Trackball Map: Button 6 -> Show Desktop (F18), Button7 ->

> Double Click = Launchpad, Click & Hold + Move Cursor = Scroll,
Button 8 -> Mission Control

Maintained by @[alexorma](#)

Import

> Map Left Shift + Esc -> Caps Lock

Maintained by @[alexorma](#)

Import

> Map L_SHIFT to ((alone), L_SHIFT (chorded). Map R_SHIFT to) (alone), R_SHIFT (chorded)

Maintained by @[alexorma](#)

Import

> Map Ctrl+Shift+Option+m -> Toggle the Menubar

Maintained by @[alexorma](#)

Import

> Touchbar Fix: Right Option Volume & Brightness (Internal Keyboard Only)

Maintained by @[alexorma](#)

Import

> UK → US Mac keyboard

Maintained by @[mngyuan](#)

Import

> Updated Windows To Mac Key Mappings

Import

> Make single and double quotes non-dead (typed with one keystroke) on the US International - PC keyboard layout.

Import

> Vi Style Arrows (MacOS Dvorak layout support)

Import

> [Dodo] Comprehensive Keyboard Modifier Configuration

Import

> [Dodo] Separated Comprehensive Keyboard Modifier Configuration

Import

> Caps Lock Vim Movements (rev 3)

Import

> Virtual Machine and Remote Desktop - Swap Command / Alt - (Microsoft or other)

Import

> VSCode fn keys

Import

> Wooting 60HE UK - Sam McKay

Import

Examples: Conditions

> device_if,device_unless example

Import

> input_source_if,input_source_unless example

Import

> select_input_source example

Import

> keyboard_type_if, keyboard_type_unless example

Import

Examples: Others

> to_if_held_down example

Import